

Exercise 4.2: Designing Applications With Duration: Create a Job

While most applications are deployed such that they continue to be available there are some which we may want to run a particular number of times called a Job, and others on a regular basis called a CronJob

1. Create a job which will run a container which sleeps for three seconds then stops.

```
student@cp:~$ vim job.yaml
```

YAML

job.yaml

```
1 apiVersion: batch/v1
2 kind: Job
3 metadata:
4   name: sleepy
5 spec:
6   template:
7     spec:
8     containers:
9     - name: resting
10       image: busybox
11       command: ["/bin/sleep"]
12       args: ["3"]
13     restartPolicy: Never
```

2. Create the job, then verify and view the details. The example shows checking the job three seconds in and then again after it has completed. You may see different output depending on how fast you type.

```
student@cp:~$ kubectl create -f job.yaml
```

```
job.batch/sleepy created
```

```
student@cp:~$ kubectl get job
```

NAME	COMPLETIONS	DURATION	AGE
sleepy	1/1	7s	11s

```
student@cp:~$ kubectl describe jobs.batch sleepy
```

```
Name:          sleepy
Namespace:     default
Selector:      batch.kubernetes.io/controller-uid=64087b60-eaae-457d-8df7-898db43453ee
Labels:        batch.kubernetes.io/controller-uid=64087b60-eaae-457d-8df7-898db43453ee
               batch.kubernetes.io/job-name=sleepy
               controller-uid=64087b60-eaae-457d-8df7-898db43453ee
               job-name=sleepy
Annotations:   <none>
Parallelism:   1
Completions:   1
Completion Mode: NonIndexed
```

```

Start Time:      Tue, 21 Sep 2024 10:38:30 +0000
Completed At:    Tue, 21 Sep 2024 10:38:37 +0000
Duration:        7s
Pods Statuses:   0 Active (0 Ready) / 1 Succeeded / 0 Failed
<output_omitted>

```

```
student@cp:~$ kubectl get job
```

```

NAME      COMPLETIONS  DURATION  AGE
sleepy    1/1           5s        17s

```

3. View the configuration information of the job. There are three parameters we can use to affect how the job runs. Use `-o yaml` to see these parameters. We can see that `backoffLimit`, `completions`, and the `parallelism`. We'll add these parameters next.

```
student@cp:~$ kubectl get jobs.batch sleepy -o yaml
```

```

<output_omitted>
  uid: c2c3a80d-d0fc-11e8-947a-42010a800002
spec:
  backoffLimit: 6
  completions: 1
  parallelism: 1
  selector:
    matchLabels:
  <output_omitted>

```

4. As the job continues to AGE in a completion state, delete the job.

```
student@cp:~$ kubectl delete jobs.batch sleepy
```

```
job.batch "sleepy" deleted
```

5. Edit the YAML and add the `completions:` parameter and set it to 5.

```
student@cp:~$ vim job.yaml
```

YA
ML

job.yaml

```

1 <output_omitted>
2 metadata:
3   name: sleepy
4 spec:
5   completions: 5  #<--Add this line
6   template:
7     spec:
8     containers:
9 <output_omitted>
10

```

6. Create the job again. As you view the job note that `COMPLETIONS` begins as zero of 5.

```
student@cp:~$ kubectl create -f job.yaml
```

```
job.batch/sleepy created
```

```
student@cp:~$ kubectl get jobs.batch
```

NAME	COMPLETIONS	DURATION	AGE
sleepy	0/5	5s	5s

7. View the pods that running. Again the output may be different depending on the speed of typing.

```
student@cp:~$ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
nginx-67f8fb575f-g4468	1/1	Running	2	2d
registry-56cffc98d6-xlhhf	1/1	Running	1	2d
sleepy-z5tnh	0/1	Completed	0	8s
sleepy-zd692	1/1	Running	0	3s
<output_omitted>				

8. Eventually all the jobs will have completed. Verify then delete the job.

```
student@cp:~$ kubectl get jobs
```

NAME	COMPLETIONS	DURATION	AGE
sleepy	5/5	26s	10m

```
student@cp:~$ kubectl delete jobs.batch sleepy
```

```
job.batch "sleepy" deleted
```

9. Edit the YAML again. This time add in the `parallelism:` parameter. Set it to 2 such that two pods at a time will be deployed.

```
student@cp:~$ vim job.yaml
```

YAML

job.yaml

```
1 <output_omitted>
2   name: sleepy
3 spec:
4   completions: 5
5   parallelism: 2  #<-- Add this line
6   template:
7     spec:
8 <output_omitted>
9
```

10. Create the job again. You should see the pods deployed two at a time until all five have completed.

```
student@cp:~$ kubectl create -f job.yaml
```

```
student@cp:~$ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
nginx-67f8fb575f-g4468	1/1	Running	2	2d
registry-56cffc98d6-xlhhf	1/1	Running	1	2d
sleepy-8xwpc	1/1	Running	0	5s
sleepy-xjqnf	1/1	Running	0	5s
try1-c9cb54f5d-b45gl	2/2	Running	0	8h

<output_omitted>

```
student@cp:~$ kubectl get jobs
```

NAME	COMPLETIONS	DURATION	AGE
sleepy	3/5	11s	11s

11. Add a parameter which will stop the job after a certain number of seconds. Set the `activeDeadlineSeconds:` to 15. The job and all pods will end once it runs for 15 seconds.

```
student@cp:~$ vim job.yaml
```

YAML

job.yaml

```
1 <output_omitted>
2   completions: 5
3   parallelism: 2
4   activeDeadlineSeconds: 15  #<-- Add this line
5   template:
6     spec:
7       containers:
8       - name: resting
9         image: busybox
10        command: ["/bin/sleep"]
11        args: ["3"]
12 <output_omitted>
13
```

12. Delete and recreate the job again. It should run for four times then continue to age without further completions.

```
student@cp:~$ kubectl delete jobs.batch sleepy
```

```
job.batch "sleepy" deleted
```

```
student@cp:~$ kubectl create -f job.yaml
```

```
job.batch/sleepy created
```

```
student@cp:~$ kubectl get jobs
```

NAME	COMPLETIONS	DURATION	AGE
sleepy	2/5	6s	6s

```
student@cp:~$ kubectl get jobs
```

NAME	COMPLETIONS	DURATION	AGE
sleepy	4/5	16s	16s

13. View the message: entry in the Status section of the object YAML output. You may see less status if the job has yet to run. Wait and try again, if so.

```
student@cp:~$ kubectl get job sleepy -o yaml
```

```
<output_omitted>
status:
  conditions:
  - lastProbeTime: "2024-06-03T16:06:10Z"
    lastTransitionTime: "2024-06-03T16:06:10Z"
    message: Job was active longer than specified deadline
    reason: DeadlineExceeded
    status: "True"
    type: Failed
  failed: 1
  startTime: "2024-06-03T16:05:55Z"
  succeeded: 4
```

14. Delete the job.

```
student@cp:~$ kubectl delete jobs.batch sleepy
```

```
job.batch "sleepy" deleted
```